ELSEVIER

Journal of Immunological Methods 223 (1999) 261–262

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 223 (1999)

Number 1 – 1 February 1999

Review

Generation of large numbers of fully mature and stable dendritic cells from leukapheresis products for clinical application
B. Thurner, C. Röder, D. Dieckmann, M. Heuer, M. Kruse, A. Glaser, P. Keikavoussi, E. Kämpgen, A. Bender and G. Schuler (Germany) 1

Research papers

Determination of Ole e 1 by enzyme immunoassay and scanning densitometry. Validation by skin-prick testing
L. Boluda, J. Sastre, M. Casanovas and E. Fernández-Caldas (Spain) 17

A flow cytometric procedure for the quantification of cell adhesion in complex mixtures of cells
M.R. Bono, L.I. Reyes and M. Rosemblatt (Chile) 27

Enzyme immunoassays for measuring complement-dependent prevention of immune precipitation (PIP) and solubilization of preformed antigen–antibody complexes (SOL)
G.J. Arason, M.S. D'Ambrogio, T. Víkingsdóttir, Á. Sigfússon and H. Valdimarsson (Iceland) 37

Identification of overrepresented T cell receptor genes in blood and tissue biopsies by PCR-ELISA
A. VanderBorght, A. Van der Aa, P. Geusens, Caroline Vandevyver, J. Raus and P. Stinissen (Belgium) 47

The MultiScreen® filtration system to measure chemoattractant-induced release of leukocyte granule enzymes by differentiated HL-60 cells or normal human monocytes
F. Tiberghien, A. Didier, A. Bohbot and F. Loor (France) 63

An advanced culture method for generating large quantities of highly pure dendritic cells from mouse bone marrow
M.B. Lutz, N. Kukutsch, A.L.J. Ogilvie, S. Rößner, F. Koch, N. Romani and G. Schuler (Germany, Austria) 77

Enhanced ultrasensitive detection of structurally diverse antigens using a single immuno-PCR assay protocol
M.C. Case, A.D. Burt, J. Hughes, J.M. Palmer, J.D. Collier, M.F. Bassendine, S.J. Yeaman, M.A. Hughes and G.N. Major (UK) 93

Application of a recombinant Fab fragment from a phage display library for sensitive detection of a target antigen by an inhibition ELISA system
K. Itoh, K. Suzuki, S. Ishiwata, T. Tezuka, M. Mizugaki and T. Suzuki (Japan) 107

Expression and kinetics of cytokines determined by intracellular staining using flow cytometry
B. Mascher, P. Schlenke and M. Seyfarth (Germany) 115

Generation of T lymphocytes from the epithelium and stroma of squamous pre-neoplastic lesions of the uterine cervix
N. Jacobs, S.L. Giannini, W. Al-Saleh, P. Hubert, J. Boniver and P. Delvenne (Belgium) 123

A rapid and safe plasmid isolation method for efficient engineering of recombinant lactobacilli expressing immunogenic or tolerogenic epitopes for oral administration
C.B.M. Maassen (Netherlands) 131

Number 2 – 4 March 1999

Research reports

Taguchi optimisation of ELISA procedures
C. Jeney, O. Dobay, A. Lengyel, É. Ádám and I. Nász (Hungary) 137

Immunoenzymatic detection of the new proliferation associated protein p100 by means of a cellular ELISA: specific detection of cells in cell cycle phases S, G2 and M
S.O. Frahm, P. Rudolph, C. Dworeck, B. Zott, H. Heidebrecht, J. Steinmann, J. Neppert and R. Parwaresch (Germany) 147
Production and characterization of polyclonal antibodies against cholecalciferol (vitamin D_3)
J. Jean, C. Turcotte, R.E. Simard and I. Fliss (Canada) 155
Continuous antibody production by phytohemagglutinin-L-aggregated hybridoma cells
H. Takamatsu, H. Kawajiri, Y. Takahashi, A.M. Ali and T. Yoshimoto (Japan, Malaysia) 165
Immunoadhesins of interleukin-6 and the IL-6/soluble IL-6R fusion protein hyper-IL-6
T. Jostock, G. Blinn, C. Renné, K.-J. Kallen, S. Rose-John and J. Müllberg (Germany) 171
Suitability of cell metabolic colorimetric assays for assessment of CD4 + T cell proliferation: comparison to 5-bromo-2-deoxyuridine (BrdU) ELISA
K. Maghni, O.M. Nicolescu and J.G. Martin (Canada) 185
A novel method of cell separation based on dual parameter immunomagnetic cell selection
K.M. Partington, E.J. Jenkinson and G. Anderson (UK) 195
Molecular analysis of the complementarity determining region 3 of the human T cell receptor β chain. Establishment of a reference panel of CDR3 lengths from phytohaemagglutinin activated lymphocytes
E.N. Mugnaini, T. Egeland, A.M. Syversen, A. Spurkland and J.E. Brinchmann (Norway) 207
Influence of antibody valency in a displacement immunoassay for the quantitation of 2,4-dichlorophenoxyacetic acid
M. Gerdes, M. Meusel and F. Spener (Germany) 217
A novel assay for detecting antibodies to cytochrome P4502D6, the molecular target of liver kidney microsomal antibody type 1
N. Kerkar, Y. Ma, M. Hussain, L. Muratori, C. Targett, R. Williams, F.B. Bianchi, G. Mieli-Vergani and D. Vergani (UK, Italy) 227
An assay for the quantitative measurement of in vitro phagocytosis of early apoptotic thymocytes by murine resident peritoneal macrophages
R. Licht, C.W.M. Jacobs, W.J.M. Tax and J.H.M. Berden (Netherlands) 237
Heat inactivation of fetal calf serum is not required for in vitro measurement of lymphocyte functions
B. Leshem, D. Yogev and D. Fiorentini (Israel) 249

Short communication

Efficient generation of transgenic BALB/c mice using BALB/c embryonic stem cells
A. Dinkel, W.K. Aicher, K. Warnatz, K. Bürki, H. Eibel and B. Ledermann (Germany, Switzerland) 255

Contents of volume 223 (1999) 261

Terminology note 263